





DRIVE-08P

Order No.: 1000196

PRODUCTINFOS

With the passive speaker systems of the DRIVE series,

you will get robust and easy-to-use PA speakers which are suitable for versatile applications. These robust and high-quality cabinets made of birch plywood are suitable for general use. The arrangement of the handles allow for easy manageability.

Professional PA speaker system, 300 W

- Compact 8/2 fullI range system with cabinet made of birch plywood
- 20 cm (8") bass speaker and 25 mm (1") horn tweeter, can be turned by 90°
- Protective circuit for the tweeter
- Excellent sound characteristics
- High-quality coating and neat workmanship
- Multi-purpose positioning and installation options
- Horn tweeter with consistent radiation pattern
- M8 threaded inserts for suspended installation
- 2 x SPEAKER terminal IN/OUT
- Stand sleeve



Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG Konsul-Smidt-Str. 68 28217 Bremen Germany info@monacor.com

TECHNICAL SPECIFICATIONS

DRIVE-08P

 $\begin{array}{lll} \mbox{Active/passive} & \mbox{passive} \\ \mbox{Transmission technology} & \mbox{cable} \\ \mbox{Total power rating} & 300 \ \mbox{W} \\ \mbox{Power rating (RMS)} & 150 \ \mbox{W} \\ \mbox{Impedance} & 8 \ \mbox{Ω} \\ \end{array}$

Frequency range 60-20,000 Hz System 8/2 full range

Bass speaker 20 cm (8") bass speaker
Tweeter 25 mm (1") horn tweeter

Number of speakers 2

 Speaker size
 20 cm (8")

 SPL
 98 dB/W/m

 Max. rated SPL
 121 dB

Radiation angle/beam angle H: 90°/V: 60°, horn can be turned

Radiation angle, horizontal 90° Radiation angle, vertical 60°

Housing material birch plywood

Colour black

Mounting device M8 threaded inserts, stand sleeve

Admiss. ambient temp. 0-40 °C

Dimensions 270 x 460 x 290 mm

Width 270 mm
Height 460 mm
Depth 290 mm
Weight 8.43 kg

Inputs 1 x SPEAKER jack

Outputs 1 x SPEAKER jack par. out

Packaging dimensions (W x H x L) 0.4 x 0.58 x 0.39 m



DRIVE-08P

Gross weight 11.5 kg

Net weight 8.43 kg

DRIVE-08P

EAN code 4007754276299

Net weight 8.43 kg