



## HSE-152A/SK

Order No.: 0235170

### PRODUCTINFOS

**A series of headband microphones and earband microphones for universal applications, beige version for adapter systems.**

With the supplied adapters, suitable for pocket transmitters from MONACOR and JTS. Further connection adapters for devices from other manufacturers are available at option.

#### **Ultra-light headband microphone,**

cardioid polar pattern.

This microphone with a back electret cartridge with cardioid polar pattern is suitable for any application requiring a directional sound pickup. A solid tool with a great sound for presenters and vocalists, even suitable for severe acoustic conditions thanks to the low acoustic feedback. The lightweight and almost invisible headband is very comfortable to wear and keeps the cartridge securely in place.

Connected to a cable with latching device and by using optional adapters, the HSE-152A/SK can be operated with wireless transmission systems of various manufacturers.

- Wide transmission range
- Very comfortable to wear
- Stable positioning
- Turning cartridge arm of adjustable length

- Drip ring (protects cartridge from moisture)
- Removable sweat-proof connection cable with 2.5 mm stereo plug (replacement connection cable: HSE-70C)
- With supplied adapters, compatible with all TXS-...HSE pocket transmitters (3-pole mini XLR) and pocket transmitters from JTS (4-pole mini XLR)
- Optional adapters allow application with devices from other manufacturers
- External power supply e.g. via phantom power supply adapter EMA-1 or EMA-300P
- Windshield

**Manufacturer information:**

MONACOR INTERNATIONAL GmbH & Co. KG  
Konsul-Smidt-Str. 68  
28217 Bremen  
Germany  
info@monacor.com

**TECHNICAL SPECIFICATIONS****HSE-152A/SK**

Description	headband microphone
Transmission method	cable
Polar pattern	cardioid
System	back electret
Audio frequency range	20-20,000 Hz
Nominal impedance	1.5 kΩ
Sensitivity	1.8 mV/Pa
Max. sound pressure	130 dB
Power supply	DC 1.5-9 V
Admiss. ambient temp.	0-40 °C
Weight	7 g
Connection	2.5 mm stereo plug 2 connecting adapters
Packaging dimensions (W x H x L)	0.15 x 0.06 x 0.2 m
Gross weight	0.155 kg
Net weight	0.035 kg

**HSE-152A/SK**

EAN code	4007754196788
Net weight	0.035 kg

